



Select 8

Copeland[™]
brand products



EMERSON

GACO SARL

28, Rue Bencharif Madani

25000 BELLEVUE/CONSTANTINE - ALGERIE

Tel. : 031 92 54 56 / 031 93 22 23 - Fax : 031 92 13 45

Email : gacosarl@gmail.com / benkobbi_fares@yahoo.fr



Project Report

Refrigerant	R404A Dew Point
-------------	-----------------

High Side Properties:

Condensing Temperature °C	55.00
Condensing Abs. Pressure bar a	25.73
Dew Point °C	55.00
Bubble Point °C	54.74
Saturated vapour enthalpy kJ/kg	381.15
Specific volume of saturated vapour cu.dm/kg	6.19
Liquid Temperature °C	54.74
Liquid enthalpy kJ/kg	286.27

Low Side Properties:

Evaporating Temperature °C	-10.00
Evaporating Abs. Pressure bar a	4.34
Dew Point °C	-10.00
Bubble Point °C	-10.59
With vapour at °C	0.00
Specific volume cu.dm/kg	47.99
Enthalpy kJ/kg	369.46

Operating Conditions:

Evaporating Temperature °C	-10.00
Condensing Temperature °C	55.00
Suction Superheat K	10.00
Subcooling K	0.00

Compressor Selected	DLF-20X
---------------------	---------

PERFORMANCE AT SPECIFIED OPERATING POINT
DLF-20X Data at 50Hz

Error

Evap. pressure out of range

GACO SARL

28, Rue Bencharif Madani

25000 BELLEVUE/CONSTANTINE - ALGERIE

Tel. : 031 92 54 56 / 031 93 22 23 - Fax : 031 92 13 45

Email : gacosarl@gmail.com / benkobbi_fares@yahoo.fr

**COMPRESSOR MECHANICAL AND PHYSICAL DATA**

Number of cylinders	2
Displacement @ 50 Hz, cu.m/h	12.9
Bore/Stroke, mm	50.8/36.5
Length/Width, mm	470/330
Height, mm	385
Net Weight, kg	80
Gross Weight, kg	86
Suction, inch	7/8
Discharge, inch	5/8
Oil Quantity, l	2
Frequency Range, Hz	25 - 60
Base mounting (hole dia), mm	295 x 279 (14.0)
Sound Pressure @ 1m, dBA	51
Sound Power, dBA	62
High Side PS, bar(g)	32.5
Low Side PS, bar(g)	22.5

COMPRESSOR ELECTRICAL DATA (380/420V - 3~ - 50Hz)

Maximum Operating Current, A	5.5
Locked Rotor Current, A	37.6
Default Enclosure Class	IP 54 (IEC 34)

ACCESSORIES INCLUDED

Mounting Springs	4
------------------	---

ACCESSORIES OPTIONAL

Additional Cooling	1 or 2 ways water Coil
Additional Cooling	70W Vertical Air Flow Fan
Additional Cooling	25W Horizontal Air Flow Fan
Crankcase Heater	70W Internal
Adapter Kit	For Parallel Operation
Oil Control System	ALCO Trax-Oil OM3
Inverter	Emerson Industrial Automation, Unidrive M200 03 400 094

DL with pump

